

REFERENCES



- Adams, W. C. (1993) Measurement of breathing rate and volume in routinely performed daily activities [final report]. Davis, CA: University of California, Physical Education Department, Human Performance Laboratory; contract no. A033-205.
- Afifi, A. A.; Elashoff, R. M. (1966) Missing observations in multivariate statistics: I. review of the literature. *J. Am. Stat. Assoc.* 61: 595-604.
- Alberts, W. M.; Brooks, S. M. (1992) Advances in occupational asthma. *Clin. Chest Med.* 13: 281-302.
- American Academy of Allergy & Immunology. (1994) Aeroallergen Monitoring Network 1994 pollen and spore report. Milwaukee, WI: American Academy of Allergy & Immunology.
- Anuszewski, J.; Larson, T. V.; Koenig, J. Q. (1992) Simultaneous indoor and outdoor particle light-scattering measurements at nine homes using a portable nephelometer. Presented at: 11th annual meeting of the American Association for Aerosol Research; October; San Francisco, CA. Cincinnati, OH: American Association for Aerosol Research; paper no. 3A.5.
- Arlian, L. G. (1989) Biology and ecology of house dust mites, *Dermatophagoides* spp. and *Euroglyphus* spp. *Immunol. Allergy Clin. North Am.* 9: 339-356.
- Aso, N.; Yoshizawa, S.; Tang, H. (1993) Behavior of particles generated from floor. In: Kalliokoski, P.; Jantunen, M.; Seppänen, O., eds. *Indoor air '93: proceedings of the 6th international conference on indoor air quality and climate*, v. 4, particles, microbes, radon; July; Helsinki, Finland. Helsinki, Finland: Indoor Air '93; pp. 43-48.
- Baxter, C. S.; Wey, H. E.; Burg, W. R. (1981) A prospective analysis of the potential risk associated with inhalation of aflatoxin-contaminated grain dusts. *Food Cosmet. Toxicol.* 19: 765-769.
- Beck, B. D.; Brain, J. D. (1982) Prediction of the pulmonary toxicity of respirable combustion products from residential wood and coal stoves. In: *Proceedings: residential wood & coal combustion specialty conference*; March; Louisville, KY. Pittsburgh, PA: Air Pollution Control Association; pp. 264-280.
- Bennett, K. M. (1983) [Letter to H. H. Hovey, Jr., New York State Department of Environmental Conservation, regarding the national ambient air quality standards]. Washington, DC: U.S. Environmental Protection Agency, Assistant Administrator for Air, Noise, and Radiation; March 18.
- Binder, R. E.; Mitchell, C. A.; Hosein, H. R.; Bouhuys, A. (1976) Importance of the indoor environment in air pollution exposure. *Arch. Environ. Health* 31: 277-279.
- Burge, H. A. (1995) Bioaerosols in the residential environment. In: Cox, C. S.; Wathes, C. M., eds. *Bioaerosols handbook*. Boca Raton, FL: CRC Press, Inc.; pp. 579-597.
- Burton, R. M.; Suh, H. H.; Koutrakis, P. (1996) Spatial variation in particulate concentrations within metropolitan Philadelphia. *Environ. Sci. Technol.* 30: 400-407.
- Chan, C.-C.; Huang, S.-K.; Chen, Y.-C.; Wang, J.-D. (1995) Personal, indoor, and outdoor concentrations of respirable suspended particulates (RSP) and nicotine in seven smoker's families in Taiwan. *Atmos. Environ.*: submitted.
- Clayton, C. A.; Perritt, R. L.; Pellizzari, E. D.; Thomas, K. W.; Whitmore, R. W.; Wallace, L. A.; Özkanak, H.; Spengler, J. D. (1993) Particle total exposure assessment methodology (PTEAM) study: distributions of aerosol and elemental concentrations in personal, indoor, and outdoor air samples in a southern California community. *J. Exposure Anal. Environ. Epidemiol.* 3: 227-250.

Code of Federal Regulations. (1994) National primary and secondary ambient air quality standards; definitions. C. F. R. 40: part 50, §50.1.

Cohen, B. S.; Chang, A. E.; Harley, N. H.; Lippmann, M. (1982) Exposure estimates from personal lapel monitors. Am. Ind. Hyg. Assoc. J. 43: 239-243.

Cohen, B. S.; Harley, N. H.; Lippmann, M. (1984) Bias in air sampling techniques used to measure inhalation exposure. Am. Ind. Hyg. Assoc. J. 45: 187-192.

Colome, S. D.; Kado, N. Y.; Jacques, P.; Kleinman, M. (1990) Indoor-outdoor relationships of particles less than 10 μm in aerodynamic diameter (PM10) in homes of asthmatics. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, volume 2, characteristics of indoor air; July-August; Toronto, ON, Canada. Ottawa, ON, Canada: International Conference on Indoor Air Quality and Climate, Inc.; pp. 275-280.

Colome, S. D.; Kado, N. Y.; Jaques, P.; Kleinman, M. (1992) Indoor-outdoor air pollution relations: particulate matter less than 10 μm in aerodynamic diameter (PM10) in homes of asthmatics. Atmos. Environ. Part A 26: 2173-2178.

Costle, D. M. (1980) [Letter to J. Randolph, U.S. Senate, regarding EPA's definition of "ambient"]. Washington, DC: U.S. Environmental Protection Agency, Administrator; December 19.

Coultas, D. B.; Samet, J. M.; McCarthy, J. F.; Spengler, J. D. (1990) Variability of measures of exposure to environmental tobacco smoke in the home. Am. Rev. Respir. Dis. 142: 602-606.

Cox, C. S. (1987) The aerobiological pathway of microorganisms. New York, NY: John Wiley & Sons.

Cox, C. S.; Wathes, C. M., eds. (1995) Bioaerosols handbook. Boca Raton, FL: CRC Press, Inc.

Croft, W. A.; Jarvis, B. B.; Yatawara, C. S. (1986) Airborne outbreak of trichothecene toxicosis. Atmos. Environ. 20: 549-552.

Crouse, W. E.; Ireland, M. S.; Johnson, J. M.; Striegel, R. M., Jr.; Williard, C. S.; DePinto, R. M.; Oldaker, G. B., III; McBride, R. L. (1989) Results from a survey of environmental tobacco smoke (ETS) in restaurants. In: Harper, J. P., ed. Combustion processes and the quality of the indoor environment: transactions of an international specialty conference; September 1988; Niagara Falls, NY. Pittsburgh, PA: Air & Waste Management Association; pp. 214-222. (A&WMA transactions series: TR-15).

Cupitt, L. T.; Glen, W. G.; Lewtas, J. (1994) Exposure and risk from ambient particle-bound pollution in an airshed dominated by residential wood combustion and mobile sources. In: Symposium of risk assessment of urban air: emissions, exposure, risk identification, and risk quantitation; May-June 1992; Stockholm, Sweden. Environ. Health Perspect. 102(suppl. 4):75-84.

Daisey, J. M.; Spengler, J. D.; Kaarakka, P. (1987) A comparison of the organic chemical composition of indoor aerosols during woodburning and non-woodburning periods. In: Seifert, B.; Esdorn, H.; Fischer, M.; Rüden, H.; Wegner, J., eds. Indoor air '87: proceedings of the 4th international conference on indoor air quality and climate: v. 1, volatile organic compounds, combustion gases, particles and fibres, microbiological agents; August; Berlin, Federal Republic of Germany. Berlin, Federal Republic of Germany: Institute for Water, Soil and Air Hygiene; pp. 215-219.

- Dempster, A. P.; Laird, N. M.; Rubin, D. B. (1977) Maximum likelihood from incomplete data via the *EM* algorithm. *J. R. Stat. Soc. Ser. B* 39: 1-38.
- Diemel, J. A. L.; Brunekreef, B.; Boleij, J. S. M.; Biersteker, K.; Veenstra, S. J. (1981) The Arnhem lead study: II. indoor pollution, and indoor/outdoor relationships. *Environ. Res.* 25: 449-456.
- Dockery, D. W.; Spengler, J. D. (1981a) Indoor-outdoor relationships of respirable sulfates and particles. *Atmos. Environ.* 15: 335-343.
- Dockery, D. W.; Spengler, J. D. (1981b) Personal exposure to respirable particulates and sulfates. *J. Air Pollut. Control Assoc.* 31: 153-159.
- Dockery, D. W.; Schwartz, J.; Spengler, J. D. (1992) Air pollution and daily mortality: associations with particulates and acid aerosols. *Environ. Res.* 59: 362-373.
- Duan, N. (1982) Models for human exposure to air pollution. *Environ. Int.* 8: 305-309.
- Duan, N.; Mage, D. T. (1996) Combination of direct and indirect approaches for exposure assessment. *J. Exposure Anal. Environ. Epidemiol.*: accepted.
- Dunn, O. J.; Clark, V. A. (1974) Applied statistics: analysis of variance and regression. New York, NY: John Wiley & Sons; pp. 221-251. (Wiley series in probability and mathematical statistics).
- Edmonds, R. L., ed. (1979) Aerobiology: the ecological systems approach. Stroudsburg, PA: Dowden, Hutchinson & Ross, Inc. (US/IBP synthesis series 10).
- Federal Trade Commission. (1994) Tar, nicotine, and carbon monoxide of the smoke of 933 varieties of domestic cigarettes. Washington, DC: Federal Trade Commission.
- Fletcher, B.; Johnson, A. E. (1988) Comparison of personal and area concentration measurements and the use of a manikin in sampling. In: Vincent, J. H., ed. *Ventilation '88*. New York, NY: Pergamon Press; pp. 161-165.
- Fugaš, M.; Wilder, B.; Pauković, R.; Hršak, J.; Steiner-Škreb, D. (1973) Concentration levels and particulate size distribution of lead in the air of an urban and an industrial area as a basis for the calculation of population exposure. In: Barth, D.; Berlin, A.; Engel, R.; Recht, P.; Smeets, J., eds. Environmental health aspects of lead: proceedings [of an] international symposium; October 1972; Amsterdam, The Netherlands. Luxembourg: Commission of the European Communities; pp. 961-968; report no. EUR 5004 d-e-f.
- Fuller, W. A. (1987) Measurement error models. New York, NY: John Wiley & Sons.
- Gregory, P. H. (1973) The microbiology of the atmosphere. 2nd ed. New York, NY: John Wiley & Sons.
- Groves, W. A.; Hahne, R. M. A.; Levine, S. P.; Schork, M. A. (1994) A field comparison of respirable dust samplers. *Am. Ind. Hyg. Assoc. J.* 55: 748-755.
- Guerin, M. R.; Jenkins, R. A.; Tomkins, B. A. (1992) The chemistry of environmental tobacco smoke: composition and measurement. Chelsea, MI: Lewis Publishers.
- Hansen, A. D. A.; Kapustin, V. N.; Kopeikin, V. M.; Gillette, D. A.; Bodhaine, B. A. (1993) Optical absorption by aerosol black carbon and dust in a desert region of central Asia. *Atmos. Environ. Part A* 27: 2527-2531.
- Hasabelnaby, N. A.; Ware, J. H.; Fuller, W. A. (1989) Indoor air pollution and pulmonary performance: investigating errors in exposure assessment. *Stat. Med.* 8: 1109-1126.

- Heavner, D. L.; Morgan, W. T.; Ogden, M. W. (1995) Determination of volatile organic compounds and ETS apportionment in 49 homes. *Environ. Int.* 21: 3-21.
- Highsmith, V. R.; Hoffman, A. J.; Zweidinger, R. B.; Cupitt, L. T.; Walsh, D. (1991) The IACP: overview of the Boise, Idaho, and the Roanoke, Virginia, field studies. Presented at: 84th annual meeting and exhibition of the Air & Waste Management Association; June; Vancouver, BC, Canada. Pittsburgh, PA: Air & Waste Management Association; paper no. 91-131.1.
- Hodges, S. D.; Moore, P. G. (1977) Data uncertainties and least squares regression. *Appl. Stat.* 44: 185-195.
- Holcomb, L. C. (1993) Indoor air quality and environmental tobacco smoke: concentration and exposure. *Environ. Int.* 19: 9-40.
- Holland, W. W.; Bennett, A. E.; Cameron, I. R.; Florey, C. du V.; Leeder, S. R.; Schilling, R. S. F.; Swan, A. V.; Waller, R. E. (1979) Health effects of particulate pollution: reappraising the evidence. *Am. J. Epidemiol.* 110: 525-539.
- Ingham, D. B.; Yan, B. (1994) The effect of a cylindrical backing body on the sampling efficiency of a cylindrical sampler. *J. Aerosol Sci.* 25: 535-541.
- Janssen, N. A. H.; Hoek, G.; Harssema, H.; Brunekreef, B. (1995) A relation between personal and ambient PM10. *Epidemiology* 6(suppl.): S45.
- Jenkins, R. A.; Palausky, M. A.; Counts, R. W.; Guerin, M. R.; Dindal, A. B.; Bayne, C. K. (1995a) Determination of personal exposure of nonsmokers to environmental tobacco smoke in the United States. *Lung Cancer*: submitted
- Jenkins, R. A.; Palausky, M. A.; Guerin, M. R.; Dindal, A. B.; Counts, R. W.; Bayne, C. K. (1995b) Personal exposure to environmental tobacco smoke in workplace and away-from work settings: a 16 city case study. In: Measurement of toxic and related air pollutants, 1995 abstracts book of an EPA/A&WMA international symposium; May; Research Triangle Park, NC. Pittsburgh, PA: Air & Waste Management Association; pp. 40-41.
- Kamens, R.; Lee, C.-T.; Wiener, R.; Leith, D. (1991) A study to characterize indoor particles in three non-smoking homes. *Atmos. Environ. Part A* 25: 929-948.
- Kendall, M. G.; Stuart, A. (1961) The advanced theory of statistics, v. 2: inference and relationship. London, United Kingdom: Charles Griffin & Co., Ltd.; pp. 378-415.
- Kendrick, B. (1992) The fifth kingdom. 2nd ed. Newburyport, MA: Focus Information Group.
- Kim, Y. S.; Stock, T. H. (1986) House-specific characterization of indoor and outdoor aerosols. *Environ. Int.* 12: 75-92.
- Klepeis, N. E.; Ott, W. R.; Switzer, P. (1994) A Total Human Exposure Model (THEM) for Respirable Suspended Particles (RSP). Presented at: 87th annual meeting & exhibition of the Air & Waste Management Association; June; Cincinnati, OH. Pittsburgh, PA: Air & Waste Management Association; paper no. 94-WA75A.03.
- Koontz, M. D.; Rector, H. E. (1995) Estimation of distributions for residential air exchange rates: final report. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics; contract nos. 68-D9-0166 and 68-D3-0013.
- Koutrakis, P.; Briggs, S. L. K.; Leaderer, B. P. (1992) Source apportionment of indoor aerosols in Suffolk and Onondaga Counties, New York. *Environ. Sci. Technol.* 26: 521-527.

- Kulmala, M.; Saari, H.; Raunemaa, T.; Olin, M. (1987) Indoor air aerosols: outdoor air influence on indoor air. In: Seifert, B.; Esdorn, H.; Fischer, M.; Rüden, H.; Wegner, J., eds. Indoor air '87: proceedings of the 4th international conference on indoor air quality and climate, v. 1, volatile organic compounds, combustion gases, particles and fibres, microbiological agents; August; Berlin, Federal Republic of Germany. Berlin, Federal Republic of Germany: Institute for Water, Soil and Air Hygiene; pp. 564-568.
- Laird, N. M. (1988) Missing data in longitudinal studies. *Stat. Med.* 7: 305-315.
- Last, J. M., ed. (1988) A dictionary of epidemiology. 2nd ed. New York, NY: Oxford University Press; p. 56.
- Leaderer, B. P.; Hammond, S. K. (1991) Evaluation of vapor-phase nicotine and respirable suspended particle mass as markers for environmental tobacco smoke. *Environ. Sci. Technol.* 25: 770-777.
- Leaderer, B.; Koutrakis, P.; Briggs, S.; Rizzuto, J. (1990) Impact of indoor sources on residential aerosol concentrations. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, volume 2, characteristics of indoor air; July-August; Toronto, ON, Canada. Ottawa, ON, Canada: International Conference on Indoor Air Quality and Climate, Inc.; pp. 269-274.
- Leaderer, B. P.; Koutrakis, P.; Briggs, S. L. K.; Rizzuto, J. (1994) The mass concentration and elemental composition of indoor aerosols in Suffolk and Onondaga Counties, New York. *Indoor Air* 4: 23-34.
- Lebret, E.; McCarthy, J.; Spengler, J.; Chang, B.-H. (1987) Elemental composition of indoor fine particles. In: Seifert, B.; Esdorn, H.; Fischer, M.; Rüden, H.; Wegner, J., eds. Indoor air '87: proceedings of the 4th international conference on indoor air quality and climate: v. 1, volatile organic compounds, combustion gases, particles and fibres, microbiological agents; August; Berlin, Federal Republic of Germany. Berlin, Federal Republic of Germany: Institute for Water, Soil and Air Hygiene; pp. 569-574.
- Lebret, E.; Boleij, J.; Brunekreef, B. (1990) Environmental tobacco smoke in Dutch homes. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, volume 2, characteristics of indoor air; July-August; Toronto, ON, Canada. Ottawa, ON, Canada: International Conference on Indoor Air Quality and Climate, Inc.; pp. 263-268.
- Lehmann, E.; Rentel, K.-H.; Allescher, W.; Hohmann, R. (1990) Messung von Dieselabgas am Arbeitsplatz [Measurement of diesel exhaust at the workplace]. *Zentralbl. Arbeitsmed. Arbeitsschutz Prophyl. Ergon.* 40: 2-11.
- Letz, R.; Ryan, P. B.; Spengler, J. D. (1984) Estimated distributions of personal exposure to respirable particles. *Environ. Monit. Assess.* 4: 351-359.
- Lewis, C. W. (1991) Sources of air pollutants indoors: VOC and fine particulate species. *J. Exposure Anal. Environ. Epidemiol.* 1: 31-44.
- Lewis, W. H.; Vinay, P.; Zenger, V. E. (1983) Airborne and allergenic pollen of North America. Baltimore, MD: The Johns Hopkins University Press.
- Lighthart, B.; Mohr, A. J. (1994) Atmospheric microbial aerosols: theory and applications. New York, NY: Chapman & Hall.
- Ligocki, M. P.; Liu, H. I. H.; Cass, G. R.; John, W. (1990) Measurements of particle deposition rates inside Southern California museums. *Aerosol Sci. Technol.* 13: 85-101.
- Lioy, P. J.; Waldman, J. M.; Buckley, T.; Butler, J.; Pietarinen, C. (1990) The personal, indoor and outdoor concentrations of PM-10 measured in an industrial community during the winter. *Atmos. Environ. Part B* 24: 57-66.

- Little, R. J. A.; Rubin, D. B. (1987) Statistical analysis with missing data. New York NY: John Wiley & Sons.
- Litzistorf, G.; Guillemin, M. P.; Buffat, P.; Iselin, F. (1985) Influence of human activity on the airborne fiber level in paraoccupational environments. *J. Air Pollut. Control Assoc.* 35: 836-837.
- Löfroth, G.; Stensman, C.; Brandhorst-Satzkorn, M. (1991) Indoor sources of mutagenic aerosol particulate matter: smoking, cooking and incense burning. *Mutat. Res.* 261: 21-28.
- Mage, D. T. (1980) The statistical form for the ambient particulate standard annual arithmetic mean vs annual geometric mean. *J. Air Pollut. Control Assoc.* 30: 706-708.
- Mage, D. T. (1983) Public health aspects of air quality surveillance. *Public Health Rev.* 11: 5-54.
- Mage, D. T. (1985) Concepts of human exposure assessment for airborne particulate matter. *Environ. Int.* 11: 407-412.
- Mage, D. T. (1991) A comparison of the direct and indirect methods of human exposure. In: Gledhill, B. L.; Mauro, F., eds. *New horizons in biological dosimetry: proceedings of the international symposium on trends in biological dosimetry*; October 1990; Lerici, Italy. New York, NY: Wiley-Liss, Inc.; pp. 443-454. (*Progress in clinical and biological research*: v. 372).
- Mage, D. T.; Buckley, T. J. (1995) The relationship between personal exposures and ambient concentrations of particulate matter. Presented at: 88th annual meeting of the Air & Waste Management Association; June; San Antonio, TX. Pittsburgh, PA: Air & Waste Management Association; paper no. 95-MP18.01.
- Mage, D. T.; Ott, W. R. (1996) Accounting for nonuniform mixing and human exposure in indoor environments. In: Tichenor, B. A., ed. *Characterizing sources of indoor air pollution and related sink effects*. Philadelphia, PA: American Society for Testing and Materials; pp. 263-278.
- Mage, D.; Ozolins, G.; Peterson, P.; Webster, A.; Orthofer, R.; Vandeweerd, V.; Gwynne, M. (1996) Urban air pollution in megacities of the world. *Atmos. Environ.* 30: 681-686.
- Mamane, Y. (1992) Characterization of PTEAM indoor aerosol samples (electron microscopy analysis). Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Research and Exposure Assessment Laboratory.
- Marple, V. A.; Rubow, K. L.; Turner, W.; Spengler, J. D. (1987) Low flow rate sharp cut impactors for indoor air sampling: design and calibration. *JAPCA* 37: 1303-1307.
- Martinelli, C. A.; Harley, N. H.; Lippmann, M.; Cohen, B. S. (1983) Monitoring real-time aerosol distribution in the breathing zone. *Am. Ind. Hyg. Assoc. J.* 44: 280-285.
- Mathews, K. P. (1989) Inhalant insect-derived allergens. *Immunol. Allergy Clin. North Am.* 9: 321-338.
- Matthews, T. G.; Thompson, C. V.; Wilson, D. L.; Hawthorne, A. R.; Mage, D. T. (1989) Air velocities inside domestic environments: an important parameter in the study of indoor air quality and climate. *Environ. Int.* 15: 545-550.
- Mayo, E. (1960) Hawthorne and the Western Electric Company. In: Merrill, H. F., ed. *Classics in management*. New York, NY: American Management Association; pp. 417-436.
- McKenzie, R. L.; Bright, D. S.; Fletcher, R. A.; Hodgeson, J. A. (1982) Development of a personal exposure monitor for two sizes of inhalable particulates. *Environ. Int.* 8: 229-233.
- Miesner, E. A.; Rudnick, S. N.; Hu, F.-C.; Spengler, J. D.; Özkaynak, H.; Preller, L.; Nelson, W. (1989) Particulate and nicotine sampling in public facilities and offices. *JAPCA* 39: 1577-1582.

- Miller, A.; Thompson, J. M. (1970) Elements of meteorology. Columbus, OH: Charles E. Merrill Publishing Co.; p. 50.
- Millette, J. R.; Hays, S. M. (1994) Resuspension of settled dust. In: Settled asbestos dust sampling and analysis. Boca Raton, FL: CRC Press, Inc.; pp. 59-65.
- Morandi, M. T.; Stock, T. H.; Contant, C. F. (1986) Characterization of indoor microenvironmental exposures to respirable particulate matter. Presented at: 79th annual meeting of the Air Pollution Control Association; June; Minneapolis, MN. Pittsburgh, PA: Air Pollution Control Association; paper no. 86-67.2.
- Morandi, M. T.; Stock, T. H.; Contant, C. F. (1988) A comparative study of respirable particulate microenvironmental concentrations and personal exposures. Environ. Monit. Assess. 10: 105-122.
- Moschandreas, D. J.; Winchester, J. W.; Nelson, J. W.; Burton, R. M. (1979) Fine particle residential indoor air pollution. Atmos. Environ. 13: 1413-1418.
- Mumford, J. L.; Williams, R. W.; Walsh, D. B.; Burton, R. M.; Svendsgaard, D. J.; Chuang, J. C.; Houk, V. S.; Lewtas, J. (1991) Indoor air pollutants from unvented kerosene heater emissions in mobile homes: studies on particles, semivolatile organics, carbon monoxide, and mutagenicity. Environ. Sci. Technol. 25: 1732-1738.
- Murray, D. M.; Burmaster, D. E. (1995) Residential air exchange rates in the United States: empirical and estimated parametric distributions by season and climatic region. Risk Anal. 15: 459-465.
- National Institute for Environmental Studies. (1994) Experimental studies on the health effects of air pollutants containing diesel exhaust particles [FY 1988~1992]. Kokuritsu Kogai Kenkyusho Tokubetsu Kenkyu Hokoku (SR-14-'94): 26-32.
- National Research Council. (1986) Environmental tobacco smoke: measuring exposures and assessing health effects. Washington, DC: National Academy Press.
- Nazaroff, W. W.; Cass, G. R. (1989) Mathematical modeling of indoor aerosol dynamics. Environ. Sci. Technol. 23: 157-166.
- Nazaroff, W. W.; Salmon, L. G.; Cass, G. R. (1990a) Concentration and fate of airborne particles in museums. Environ. Sci. Technol. 24: 66-77.
- Nazaroff, W. W.; Ligocki, M. P.; Ma, T.; Cass, G. R. (1990b) Particle deposition in museums: comparison of modeling and measurement results. Aerosol Sci. Technol. 13: 332-348.
- Nazaroff, W. W.; Gadgil, A. J.; Weschler, C. J. (1993) Critique of the use of deposition velocity in modeling indoor air quality. In: Nagda, N. L., ed. Modeling of indoor air quality and exposure. Philadelphia, PA: American Society for Testing and Materials; pp. 81-104. (ASTM special technical publication no. 1205).
- Neas, L. M.; Dockery, D. W.; Ware, J. H.; Spengler, J. D.; Ferris, B. G., Jr.; Speizer, F. E. (1994) Concentration of indoor particulate matter as a determinant of respiratory health in children. Am. J. Epidemiol. 139: 1088-1099.
- Ogden, T. L.; Bartlett, I. W.; Purnell, C. J.; Wells, C. J.; Armitage, F.; Wolfson, H. (1993) Dust for cotton manufacture: changing from static to personal sampling. Ann. Occup. Hyg. 37: 271-285.
- Oldaker, G. B., III; Ogden, M. W.; Maiolo, K. C.; Conner, J. M.; Conrad, F. W., Jr.; DeLuca, P. O. (1990) Results from surveys of environmental tobacco smoke in restaurants in Winston-Salem, North Carolina. In: Indoor air '90: precedings of the 5th international conference on indoor air quality and climate, volume 2, characteristics of indoor air; July-August; Toronto, ON, Canada. Ottawa, ON, Canada: International Conference on Indoor Air Quality and Climate, Inc.; pp. 281-285.

Oldaker, G. B., III; Taylor, W. D.; Parrish, K. B. (1993) Investigations of ventilation, smoking activity, and indoor air quality at four large office buildings. In: Proceedings of IAQ '92. American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.; pp. 365-374.

Orchard, T.; Woodbury, M. A. (1972) A missing information principle: theory and applications. In: LeCam, L.; Newman, J.; Scott, E., eds. Proceedings of the 6th Berkeley symposium on mathematical statistics and probability, v. 1. Berkeley, CA: University of California Press; pp. 697-715.

Ott, W. R. (1982) Concepts of human exposure to air pollution. Environ. Int. 7: 179-196.

Owen, M. K.; Ensor, D. S.; Hovis, L. S.; Tucker, W. G.; Sparks, L. E. (1990) Particle size distributions for an office aerosol. Aerosol Sci. Technol. 13: 486-492.

Owen, M. K.; Ensor, D. S.; Sparks, L. E. (1992) Airborne particle sizes and sources found in indoor air. Atmos. Environ. Part A 26: 2149-2162.

Özkaynak, H.; Spengler, J. D.; Ludwig, J. F.; Butler, D. A.; Clayton, C. A.; Pellizzari, E.; Wiener, R. W. (1990) Personal exposure to particulate matter: findings from the Particle Total Exposure Assessment Methodology (PTEAM) prepilot study. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, volume 2, characteristics of indoor air; July-August; Toronto, ON, Canada. Ottawa, ON, Canada: International Conference on Indoor Air Quality and Climate, Inc.; pp. 571-576.

Özkaynak, H.; Xue, J.; Weker, R.; Butler, D.; Spengler, J. (1993a) The particle TEAM (PTEAM) study: analysis of the data, volume III [draft final report]. Research Triangle Park, NC: U.S. Environmental Protection Agency; EPA contract no. 68-02-4544.

Özkaynak, H.; Spengler, J. D.; Xue, J.; Koutrakis, P.; Pellizzari, E. D.; Wallace, L. (1993b) Sources and factors influencing personal and indoor exposures to particles, elements and nicotine: findings from the particle TEAM pilot study. In: Jantunen, M.; Kalliokoski, P.; Kukkonen, E.; Saarela, K.; Seppänen, O.; Vuorelma, H., eds. Indoor air '93: proceedings of the 6th international conference on indoor air quality and climate, v. 3, combustion products, risk assessment, policies; July; Helsinki, Finland. Helsinki, Finland: Indoor Air '93; pp. 457-462.

Özkaynak, H.; Xue, J.; Spengler, J. D.; Wallace, L. A.; Pellizzari, E. D.; Jenkins, P. (1996) Personal exposures to airborne particles and metals: results from the particle TEAM study in Riverside, California. In: Lippmann, M., ed. Papers from the ISEA-ISEE annual meeting; September 1994; Research Triangle Park, NC. J. Exp. Anal. Environ. Epidemiol.: in press.

Pellizzari, E. D.; Thomas, K. W.; Clayton, C. A.; Whitmore, R. W.; Shores, R. C.; Zelon, H. S.; Perritt, R. L. (1992) Particle total exposure assessment methodology (PTEAM): Riverside, California pilot study, volume I [final report]. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Research and Exposure Assessment Laboratory; EPA report no. EPA/600/R-93/050. Available from: NTIS, Springfield, VA; PB93-166957/XAB.

Pellizzari, E. D.; Thomas, K. W.; Clayton, C. A.; Whitmore, R. C.; Shores, H.; Zelon, S.; Peritt, R. L. (1993) Particle total exposure assessment methodology (PTEAM): Riverside, California pilot study - volume I [project summary]. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Research and Exposure Assessment Laboratory; EPA report no. EPA/600/SR-93/050.

Pengelly, L. D.; Goldsmith, C. H.; Kerigan, A. T.; Furlong, W.; Toplack, S. (1987) The Hamilton study: estimating exposure to ambient suspended particles. JAPCA 37: 1421-1428.

Perritt, R. L.; Clayton, C. A.; Pellizzari, E. D.; Thomas, K. W.; Wallace, L. A.; Spengler, J. D.; Özkaynak, H. (1991) Particle Total Exposure Assessment Methodology (PTEAM) Pilot Study: personal, indoor, and outdoor particulate concentration distributions for southern California fall 1990 - preliminary results. In: Measurement

- of toxic and related air pollutants: proceedings of the 1991 U.S. EPA/A&WMA international symposium, v. 2; May; Durham, NC. Pittsburgh, PA: Air & Waste Management Association; pp. 665-671. (A&WMA publication VIP-21).
- Pickles, J. H. (1982) Air pollution estimation error and what it does to epidemiological analysis. *Atmos. Environ.* 16: 2241-2245.
- Platts-Mills, T. A. E.; Chapman, M. D. (1987) Dust mites: immunology, allergic disease, and environmental control. *J. Allergy Clin. Immunol.* 80: 755-775.
- Pope, C. A., III; Thun, M. J.; Namboodiri, M. M.; Dockery, D. W.; Evans, J. S.; Speizer, F. E.; Heath, C. W., Jr. (1995) Particulate air pollution as a predictor of mortality in a prospective study of U.S. adults. *Am. J. Respir. Crit. Care Med.* 151: 669-674.
- Quackenboss, J. J.; Lebowitz, M. D.; Crutchfield, C. D. (1989) Indoor-outdoor relationships for particulate matter: exposure classifications and health effects. *Environ. Int.* 15: 353-360.
- Quackenboss, J. J.; Krzyzanowski, M.; Lebowitz, M. D. (1991) Exposure assessment approaches to evaluate respiratory health effects of particulate matter and nitrogen dioxide. *J. Exposure Anal. Environ. Epidemiol.* 1: 83-107.
- Raunemaa, T.; Kulmala, M.; Saari, H.; Olin, M.; Kulmala, M. H. (1989) Indoor air aerosol model: transport indoors and deposition of fine and coarse particles. *Aerosol Sci. Technol.* 11: 11-25.
- Repace, J. L. (1987) Indoor concentrations of environmental tobacco smoke: field surveys. In: O'Neill, I. K.; Brunnemann, K. D.; Dodet, B.; Hoffmann, D., eds. *Environmental carcinogens: methods of analysis and exposure measurement*, volume 9 - passive smoking. Lyon, France: World Health Organization; pp. 141-162. (IARC scientific publications: no. 81).
- Repace, J. L.; Lowrey, A. H. (1980) Indoor air pollution, tobacco smoke, and public health. *Science* (Washington, DC) 208: 464-472.
- Repace, J. L.; Ott, W. R.; Wallace, L. A. (1980) Total human exposure to air pollution. Presented at: 73rd annual meeting of the Air Pollution Control Association; June; Montreal, PQ, Canada. Pittsburgh, PA: Air Pollution Control Association; paper no. 80-61.6.
- Rippon, J. W. (1988) *Medical mycology: the pathogenic fungi and the pathogenic actinomycetes*. 3rd ed. Philadelphia, PA: W. B. Saunders Company.
- Roberts, J. W.; Camann, D. E.; Spittler, T. M. (1990) Monitoring and controlling lead in house dust in older homes. In: *Indoor air '90: precedings of the 5th international conference on indoor air quality and climate*, volume 2, characteristics of indoor air; July-August; Toronto, ON, Canada. Ottawa, ON, Canada: International Conference on Indoor Air Quality and Climate, Inc.; pp. 435-440.
- Rodes, C. E.; Kamens, R. M.; Wiener, R. W. (1991) The significance and characteristics of the personal activity cloud on exposure assessment measurements for indoor contaminants. *Indoor Air* 2: 123-145.
- Santanam, S.; Spengler, J. D.; Ryan, P. B. (1990) Particulate matter exposures estimated from an indoor-outdoor source apportionment study. In: *Indoor air '90: precedings of the 5th international conference on indoor air quality and climate*, volume 2, characteristics of indoor air; July-August; Toronto, ON, Canada. Ottawa, ON, Canada: International Conference on Indoor Air Quality and Climate, Inc.; pp. 583-588.
- Sexton, K.; Spengler, J. D.; Treitman, R. D. (1984) Personal exposure to respirable particles: a case study in Waterbury, Vermont. *Atmos. Environ.* 18: 1385-1398.

- Sheldon, L. S.; Handy, R. W.; Hartwell, T. D.; Whitmore, R. W.; Zelon, H. S.; Pellizzari, E. D. (1988a) Indoor air quality in public buildings: v. I. Washington, DC: U.S. Environmental Protection Agency, Office of Acid Deposition, Environmental Monitoring, and Quality Assurance; report no. EPA 600/6-88/009a. Available from: NTIS, Springfield, VA; PB89-102503.
- Sheldon, L.; Zelon, H.; Sickles, J.; Eaton, C.; Hartwell, T. (1988b) Indoor air quality in public buildings: volume II. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory; report no. EPA 600/6-88/009b. Available from: NTIS, Springfield, VA; PB89-102511.
- Sheldon, L. S.; Hartwell, T. D.; Cox, B. G.; Sickles, J. E., II; Pellizzari, E. D.; Smith, M. L.; Perritt, R. L.; Jones, S. M. (1989) An investigation of infiltration and indoor air quality: final report. Albany, NY: New York State Energy Research and Development Authority; New York State ERDA contract no. 736-CON-BCS-85.
- Sheldon, L.; Clayton, A.; Keever, J. Perritt, R.; Whitaker, D. (1992) PTEAM: monitoring of phthalates and PAHs in indoor and outdoor air samples in Riverside, California, volume II [final report]. Sacramento, CA: California Environmental Protection Agency, State Air Resources Board, Research Division; contract no. A933-144. Available from: NTIS, Springfield, VA; PB93-205649/XAB.
- Sinclair, J. D.; Psota-Kelty, L. A.; Weschler, C. J. (1988) Indoor/outdoor ratios and indoor surface accumulations of ionic substances at Newark, New Jersey. *Atmos. Environ.* 22: 461-469.
- Sinclair, J. D.; Psota-Kelty, L. A.; Weschler, C. J.; Shields, H. C. (1990) Measurement and modeling of airborne concentrations and indoor surface accumulation rates of ionic substances at Neenah, Wisconsin. *Atmos. Environ. Part A* 24: 627-638.
- Sinclair, J. D.; Psota-Kelly, L. A.; Peins, G. A.; Ibidunni, A. O. (1992) Indoor/outdoor relationships of airborne ionic substances: comparison of electronic equipment room and factory environments. *Atmos. Environ. Part A* 26: 871-882.
- Smith, K. R.; Apte, M. G.; Ma, Y.; Wongsekiarttirat, W.; Kulkarni, A. (1994) Air pollution and the energy ladder in Asian cities. In: Tyler, S.; Sathaye, J.; Goldman, N., eds. *Energy use in Asian Cities*. Energy (Oxford) 19: 587-600.
- Smithard, E. H. R. (1954) The 1952 fog in a metropolitan borough. *Mon. Bull. Minist. Health Public Health Lab. Serv. (G. B.)* 13: 26-35.
- Spengler, J. D.; Thurston, G. D. (1983) Mass and elemental composition of fine and coarse particles in six U.S. cities. *J. Air Pollut. Control Assoc.* 33: 1162-1171.
- Spengler, J. D.; Dockery, D. W.; Reed, M. P.; Tosteson, T.; Quinlan, P. (1980) Personal exposures to respirable particles. Presented at: 73rd annual meeting of the Air Pollution Control Association; June; Montreal, PQ, Canada. Pittsburgh, PA: Air Pollution Control Association; paper no. 80-61.5b.
- Spengler, J. D.; Dockery, D. W.; Turner, W. A.; Wolfson, J. M.; Ferris, B. G., Jr. (1981) Long-term measurements of respirable sulfates and particles inside and outside homes. *Atmos. Environ.* 15: 23-30.
- Spengler, J. D.; Treitman, R. D.; Tosteson, T. D.; Mage, D. T.; Soczek, M. L. (1985) Personal exposures to respirable particulates and implications for air pollution epidemiology. *Environ. Sci. Technol.* 19: 700-707.
- Spengler, J. D.; Ware, J.; Speizer, F.; Ferris, B.; Dockery, D.; Lebret, E.; Brunnekreef, B. (1987) Harvard's indoor air quality respiratory health study. In: Seifert, B.; Esdorn, H.; Fischer, M.; Rüden, H.; Wegner, J., eds. *Indoor air '87: proceedings of the 4th international conference on indoor air quality and climate*: v. 2, environmental tobacco smoke, multicomponent studies, radon, sick buildings, odours and irritants, hyperreactivities and allergies; August; Berlin, Federal Republic of Germany. Berlin, Federal Republic of Germany: Institute for Water, Soil and Air Hygiene; pp. 218-223.

- Spengler, J. D.; Özkaynak, H.; Ludwig, J.; Allen, G.; Pellizzari, E. D.; Wiener, R. (1989) Personal exposures to particulate matter: instruments and methodologies P-TEAM. In: Measurement of toxic and related air pollutants: proceedings of the 1989 U.S. EPA/A&WMA international symposium; May; Raleigh, NC. Pittsburgh, PA: Air & Waste Management Association; pp. 449-463. (A&WMA publication VIP-13).
- Sterling, T. D.; Dimich, H.; Kobayashi, D. (1982) Indoor byproduct levels of tobacco smoke: a critical review of the literature. *J. Air Pollut. Control Assoc.* 32: 250-259.
- Suh, H. H.; Koutrakis, P.; Spengler, J. D. (1993) Validation of personal exposure models for sulfate and aerosol strong acidity. *J. Air Waste Manage. Assoc.* 43: 845-850.
- Suh, H. H.; Allen, G. A.; Koutrakis, P.; Burton, R. M. (1995) Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia. *J. Air Waste Manage. Assoc.* 45: 442-452.
- Tamura, K.; Ando, M. (1994) Suspended particulate matter in indoor and outdoor air along a main road and personal exposure assessment. Presented at: Sixth conference of the International Society for Environmental Epidemiology/fourth conference of the International Society for Exposure Analysis joint conference; September; Research Triangle Park, NC. Chapel Hill, NC: University of North Carolina, School of Public Health; abstract no. 116.
- Tamura, K.; Ando, M.; Sagai, M.; Matsumoto, Y. (1996) Estimation of levels of personal exposure to suspended particulate matter and nitrogen dioxide in Tokyo. *Environ. Sci. (Tokyo)* 6: accepted.
- Thatcher, T. L.; Layton, D. W. (1995) Deposition, resuspension, and penetration of particles within a residence. *Atmos. Environ.* 29: 1487-1497.
- Thomas, K. W.; Pellizzari, E. D.; Clayton, C. A.; Whitaker, D. A.; Shores, R. C.; Spengler, J.; Özkaynak, H.; Froehlich, S. E.; Wallace, L. A. (1993) Particle total exposure assessment methodology (PTEAM) 1990 study: method performance and data quality for personal, indoor, and outdoor monitoring. *J. Exposure Anal. Environ. Epidemiol.* 3: 203-226.
- Turk, B. H.; Brown, J. T.; Geisling-Sobotka, K.; Froehlich, D. A.; Grimsrud, D. T.; Harrison, J.; Koonce, J. F.; Prill, R. J.; Revzan, K. L. (1987) Indoor air quality and ventilation measurements in 38 Pacific Northwest commercial buildings: final report to the Bonneville Power Administration, volume I: measurement results and interpretation [final report]. Berkeley, CA: U.S. Department of Energy, Lawrence Berkeley Laboratory, Indoor Environment Program; report no. LBL-22315-1/2. Available from: DE88014064/XAB.
- Turk, B. H.; Grimsrud, D. T.; Brown, J. T.; Geisling-Sobotka, K. L.; Harrison, J.; Prill, R. J. (1989) Commercial building ventilation rates and particle concentrations. *ASHRAE Trans.* 95(part 1): 422-433.
- U.S. Centers for Disease Control. (1988) Assessing exposures of health-care personnel to aerosols of ribavirin—California. *Morb. Mortal. Wkly. Rep.* 37: 560-563.
- U.S. Environmental Protection Agency. (1982) Air quality criteria for particulate matter and sulfur oxides. Research Triangle Park, NC: Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office; EPA report no. EPA-600/8-82-029aF-cF. 3v. Available from: NTIS, Springfield, VA; PB84-156777.
- U.S. Environmental Protection Agency. (1986a) Second addendum to air quality criteria for particulate matter and sulfur oxides (1982): assessment of newly available health effects information. Research Triangle Park, NC: Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office; EPA report no. EPA-600/8-86-020F. Available from: NTIS, Springfield, VA; PB87-176574.
- U.S. Environmental Protection Agency. (1986b) Air quality criteria for lead. Research Triangle Park, NC: Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office; EPA report no. EPA-600/8-83/028aF-dF. 4v. Available from: NTIS, Springfield, VA; PB87-142378.

- U.S. Environmental Protection Agency. (1989) Exposure factors handbook. Washington, DC: Office of Health and Environmental Assessment; EPA report no. EPA/600/8-89/043. Available from: NTIS, Springfield, VA; PB90-106774.
- U.S. Environmental Protection Agency. (1992) Respiratory health effects of passive smoking: lung cancer and other disorders. Washington, DC: Office of Research and Development, Office of Health and Environmental Assessment; EPA report no. EPA/600/6-90/006F. Available from: NTIS, Springfield, VA; PB93-134419/XAB.
- U.S. Environmental Protection Agency. (1995) PFT database for residential air flow measurements: database documentation, final report. Washington, DC: Office of Toxic Substances; contract no. 68-D3-0013, task 3-18.
- United Kingdom Ministry of Health. (1954) Mortality and morbidity during the London fog of December 1952. London, United Kingdom: Her Majesty's Stationery Office. (Reports on public health and medical subjects no. 95).
- Wallace, L. (1996) Indoor particles: a review. *J. Air Waste Manage. Assoc.* 46: 98-126.
- Wallace, L.; Clayton, A.; Whitmore, R.; Shores, R.; Thomas, K.; Whitaker, D.; Reading, P.; Pellizzari, E.; Spengler, J.; Özkaynak, H.; Froehlich, S.; Jenkins, P.; Ota, L.; Westerdahl, D. (1991a) Initial results from the PTEAM study: survey design, population response rates, monitor performance and quality control. In: Measurement of toxic and related air pollutants: proceedings of the 1991 U.S. EPA/A&WMA international symposium, v. 2; May; Durham, NC. Pittsburgh, PA: Air & Waste Management Association; pp. 659-664. (A&WMA publication VIP-21).
- Wallace, L. A.; Pellizzari, E.; Sheldon, L.; Whitmore, R.; Zelon, H.; Clayton, A.; Shores, R.; Thomas, K.; Whitaker, D.; Reading, P.; Spengler, J.; Özkaynak, H.; Froehlich, S.; Jenkins, P.; Ota, L.; Westerdahl, D. (1991b) The TEAM study of inhalable particles (PM_{10}): study design, sampler performance, and preliminary results. Presented at: 84th annual meeting of the Air & Waste Management Association; June; Vancouver, British Columbia, Canada. Pittsburgh, PA: Air & Waste Management Association; paper no. 91-171.3.
- Wallace, L.; Nelson, W.; Ziegenfus, R.; Pellizzari, E.; Michael, L.; Whitmore, R.; Zelon, H.; Hartwell, T.; Perritt, R.; Westerdahl, D. (1991c) The Los Angeles TEAM study: personal exposures, indoor-outdoor air concentrations, and breath concentrations of 25 volatile organic compounds. *J. Exposure Anal. Environ. Epidemiol.* 1: 157-192.
- Wallace, L. A.; Özkaynak, H.; Spengler, J. D.; Pellizzari, E. D.; Jenkins, P. (1993) Indoor, outdoor, and personal air exposures to particles, elements, and nicotine for 178 southern California residents. In: Jantunen, M.; Kalliokoski, P.; Kukkonen, E.; Saarela, K.; Seppänen, O.; Vuorelma, H., eds. Indoor air '93: proceedings of the 6th international conference on indoor air quality and climate, v. 3, combustion products, risk assessment, policies; July; Helsinki, Finland. Helsinki, Finland: Indoor Air '93; pp. 445-450.
- Weschler, C. J.; Shields, H. C.; Kelty, S. P.; Psota-Kelly, L. A.; Sinclair, J. D. (1989) Comparison of effects of ventilation, filtration and outdoor air at telephone office buildings. In: Nagda, N. L.; Harper, J. P., eds. Design and protocol for monitoring indoor air quality. Philadelphia, PA: American Society for Testing and Materials; pp. 9-34. (ASTM special technical publication 1002).
- West, J. B. (1982) Pulmonary pathophysiology—the essentials. 2nd ed. Baltimore, MD: Williams & Wilkins; p. 168.
- Wiener, R. W. (1988) Measurement and evaluation of personal exposure to aerosols. In: Measurement of toxic and related air pollutants: proceedings of the 1988 EPA/APCA international symposium; May; Research Triangle Park, NC. Pittsburgh, PA: Air Pollution Control Association; pp. 84-88. (APCA publication no. VIP-10).

- Wiener, R. W. (1989) Particle total exposure assessment methodology—an overview of planning and accomplishments. In: Measurement of toxic and related air pollutants: proceedings of the 1989 U.S. EPA/A&WMA international symposium; May; Raleigh, NC. Pittsburgh, PA: Air & Waste Management Association; pp. 442-448. (A&WMA publication VIP-13).
- Wiener, R. W.; Wallace, L.; Pahl, D.; Pellizzari, E.; Whittaker, D.; Spengler, J.; Özkaynak, H. (1990) Review of the particle TEAM 9 home field study. In: Measurement of toxic and related air pollutants: proceedings of the 1990 EPA/A&WMA international symposium, v. 2; May; Raleigh, NC. Pittsburgh, PA: Air & Waste Management Association; pp. 452-460. (A&WMA publication VIP-17).
- Willeke, K.; Baron, P. A., eds. (1993) Aerosol measurement: principles, techniques and applications. New York, NY: Van Nostrand Reinhold Publishers.
- Wilmoth, R. C.; Powers, T. J.; Millette, J. R. (1991) Observations on studies useful to asbestos O&M activities. Microscope 39: 299-312.
- Wilson, W. E.; Suh, H. H. (1995) Differentiating fine and coarse particles: definitions and exposure relationships relevant to epidemiological studies. In: Schmidt-Ott, A., ed. Trends in aerosol research IV: new approaches in aerosol science and technology, proceedings of the seminar; January; Gerhard Mercator University, Duisburg, Germany. Duisburg, Germany: Gerhard Mercator University of Duisburg; pp. 57-71.
- Winer, B. J. (1962) Statistical principles in experimental design. New York, NY: McGraw-Hill Book Co., Inc.; pp. 105-124.
- Woodbury, M.; Hasselblad, V. (1970) Maximum likelihood estimates of the variance covariance matrix from the multivariate normal. In: Proceedings of SHARE XXXIV, v. 3; pp. 1550-1561.
- World Health Organization. (1982a) Human exposure to carbon monoxide and suspended particulate matter in Zagreb, Yugoslavia. Geneva, Switzerland: World Health Organization; GEMS (Global Environmental Monitoring System) report no. EFP/82.33.
- World Health Organization. (1982b) Human exposure to SO₂, NO₂ and suspended particulate matter in Toronto, Canada. Geneva, Switzerland: World Health Organization; GEMS (Global Environmental Monitoring System) report no. EFP/82.38.
- World Health Organization. (1984) Human exposure to suspended particulate matter and sulfate in Bombay, India. Geneva, Switzerland: World Health Organization; GEMS (Global Environment Monitoring System) report no. EFP/84.86.
- World Health Organization. (1985) Human exposure to carbon monoxide and suspended particulate matter in Beijing, People's Republic of China. Geneva, Switzerland: World Health Organization; GEMS (Global Environmental Monitoring System) report no. PEP/85.11.
- World Health Organization. (1995) Interpretation of WHO air quality guidelines: report of an expert working group. Geneva, Switzerland: World Health Organization; report no. WHO/EOS/95; in press.
- Yoshimura, I. (1990) The effect of measurement error on the dose-response curve. Environ. Health Perspect. 87: 173-178.